

II HILE MAN, DRUGGISTS PRINTER, ALMONTE, ONT.

INDEX.

VO.						rette.
1	Fevers, Congestion, Inflammation, Neuralgia, Toothache, Faceache, ing Colic, or Teething of Infants,					VI 12
2	Neuralgia, Toothache, Faceache,					13
	ing Colic, or Teething of Infants.					2
	ing Colic, or Teething of Infants, Mouth, or Canker pepsia, Billous Stomach, Costiveness ets of Eating Rich Food, Billind or Bleeding, Internal or External,					1.8
	pepsia, Bilious Stomach, Costiveness					45
	cts of Eating Rich Food.					23
	s. Blind or Bleeding, Internal or External.					
	era Morbus, Nausea, Vomiting,					
	daches, Sick Headaches, Vertigo,					3.4
	era Morbus, Nausea, Vomiting, daches, Sick Headaches, Vertigo, ammatory Affections of the Windpipe,					
	rrhæa of Children or Adults,					5
	rhœa of Children or Adults, umatism, Rheumatic Pains, ms, Worm Fevers, Worm Colic,					17
	ms, Worm Fevers, Worm Colic,					
	pases of Intants or Voung Children					18
	ntheria or Ulcerated Sore Throat, ma, Oppressed, Difficult Breathing ghs, Colds, Hoarseness and Bronchitis					7
	ma, Oppressed, Difficult Breathing					2
	ghs, Colds, Hoarseness and Bronchitis					
	tes, too Profuse Periods, Dearing Frown					4.5
	cp, Hoarse Cough, Difficult Breathing Rheum, Erysipelas, Eruptions,					
	Rheum, Erysipelas, Eruptions,					
	er and Ague, Chill Fever Agues,					12
	thalmia, Weak or Inflamed Lyes. oping Cough, Violent Coughs,					(2 (6
	oping Cough, Violent Coughs,					
	fula, Swellings and Ulcers,					io= ii
	fula, Swellings and Ulcers, osy, Fluid Accumulations,					
	sickness, Nausea, Vomiting,					31
	bey Disease, Gravel, Renal Calculi,					
osy, Fluid Accumulations, sickness, Nausea, Vomiting, ey Disease, Gravel, Renal Calculi, ous Debility, Seminal Weakness, Spermatorthes,						14
	any weakness, welling the Ded.					
	ressed or Painful Menses, Pruritus,					17
	epsy and Spasms, St. Vitus Dance,					9
	psy and Spasms, St. Vitus Dance, ntery, Griping, Bilious Colic, ale Irregularities,					6
	ale Irregularities,					32
	rh, Acute or Chronic, Influenza.					4
	Discharges, Hardness of Hearing					5
	La of all Thomas Dalaines of the same of the	е				#3
	ral Debility, Physical Weakness					93 33
						34
	aline, ria Medica, nts' Directory,					37 41
	ria Medica, nts' Directory,					R3-26
	eopathic Specifics.					=7- 13
	Orders,					30 -42

specific in my list, or for diseases not included, will be forwardail on receipt of price, 25 cents, except No. 28, the price of \$1.00.

WAIT HOMEOPATHIC MEDICINE MANUF'Y,

JOHN T. WAIT, Proprietor,
ARNPRIOR, - - ONTARIO

WAIT'S

HOMEOPATHIC MANUAL.

Arnprior, - Ontario.

nesses

DOMESTIC HOMEOPATHY.

The profession of medicine cannot, in this age of progress, be treated as a mystery. The aim of the enlightened physician is to make its principles as extensively known as possible, conscious that thereby the greatest amount of good will accrue, both to the profession and the public.

Still the objection is often urged that Domestic Homeopathy trenches on the legitimate sphere of the profession, and is dangerous in its tendency. Neither objection is valid. Drugs are and I believe ever will be employed in nearly every house-hold—Anti-bilious Pills, Epsom Salts, Rhubarb, Sulphur, Quinine, etc. We are not the originators of Domestic Treatment, but as a large and important part of medical practice is and must ever remain in the hands of the people, we have rather sought to reform it. The first stage of every disease is commonly treated by parent, nurse, friend or patient himself, and it is all important that they should be informed upon the subject, and provided with simple and effectual means of cure. Nine-tenths of all diseases may be cured promptly, as the experience of ihousands who have long used Wait's Homeopathic Specifics

+5012 1881

shows, if they but have and apply the proper means at once, while a large portion of aggravated and fatal cases may be traced to early neglect. In this way saving a vast amount of suffering and life. Failure in health of a simple and uncomplicated nature may often be arrested at the outset by carrying out the instructions contained in the following pages, while, if neglected till symptoms assume forms which seem to justify the consultation of a medical man, it may become converted into serious and even fatal disease.

ASTHMA.

SYMPTOMS.—An attack often comes on suddenly at night or towards morning, attended with a distressing sense of suffocation, the patient springing up, or even flying to an open window wheezing loudly, until, after an uncertain time—perhaps an hour—it passes off with more or less expectoration of mucus, when the patient obtains comparative ease. The attack returns either at regular intervals or is provoked by exposure to cold, damp air, severe efforts, or even mental emotions. The respiration is labored, wheezing, sighing loudly, accompanied with anxiety and frequent cough.

DIRECTIONS.—During the intervals, and to prevent a return of the paroxysm, take four pills of Specific No. 16 morning and night, slowly dissolved on the tongue. During the paroxysm: Dissolve twelve pills in a glass half full of cold spring water, and of the solution take a dessert spoonful every half-hour until relieved. If there is heat and feverish excitement of the system, prepare Specific No. 1 in the same manner, and take a dessert-spoonful every half-hour alternately with Specific No. 16, but if a cold sweat, alternate with Specific No. 34.

COLIC.

SYMPTOMS.—Severe twisting, griping, tearing pain about the navel, recurring in paroxysms but relieved by pressure, so that the patient lies on his belly pressing his abdomen, writhing in agony. There is a frequent desire to relieve the bowels, but often nothing passes except a little flatus. In infants, drawing its legs up, its abdomen being hard and full, with crying and restlessness. It has been customary for mothers and nurses

to give inlants paregoric, soothing syrups, Godfrey's Cordial or other opiates to put the little sufferers insensible, or to make them quiet. This treatment is very wrong, as it produces costiveness, laying the foundation for other diseases, to relieve which strong cathartics are resorted to to move the bowels, completely upsetting the patient's stomach, taking weeks to get it into its normal state again.

TREATMENT.—In this case dissolve 12 globules of No. 3 in half a tea-cupful of cold water, and give a tea-spoonful every 20 minutes till releved. If arising from indigestible food in grown persons, No. 5, taken as above. If fevered and restless at night No. 1 may be alternated with No. 3 every half-hour, prepared as above. Persons subject to Colic should avoid food of a flatulent character, such as cabbage, pickles, beans, or strong tea, coffee, ale or other spirits. Also a nurse eating or drinking such things can hardly expect to have her infant free from this trouble.

COUGHS.

Colds, with Pain or Stitches in the Side or Chest, Bronchitis.—It is often the forerunner or attendant of some of the most fatal diseases of our climate, and should therefore never be neglected. A hard, dry cough, accompanied with inflammatory symptoms, flushed face, headache, thirst, scanty urine, confined bowels, restlessness, etc.—take Specific No. I. If a dry cough, attended with pain in the side, chest and head—with Specific No. 17. Generally the best way is to take twelve globules of Specific No. 1 and dissolve in half a tea-cupful of cold water; also twelve globules of Specific No. 17 in another tea-cup half full of cold water, and give a tea-spoonful alternately every half-hour or hour till better. Then discontinue No. 1 and take No. 17, 4 pills dissolved on the tongue 3 or 4 times daily for a few days, till entirely cured. Cold water in small quantities at frequent intervals is beneficial in almost all stages of coughs or colds.

CHOLERA MORBUS.

SICKNESS OF THE STOMACH, VOMITING WITH DIARRHŒA.—Symptoms: This disease is generally ushered in by vomiting, with great heat of the stomach, ascending to the throat; a burning sensation attending the discharge of the motions; griping, watery stools; constant urging to stool without evacuation;

great prostration; great anguish; cramps in the calves of the legs.

At the commencement take twelve pills of Specific No. 11 and dissolve in half a tea-cupful of cold water, and give a teaspoonful every ten minutes; if not relieved in a half or threequarters of an hour, prepare twelve globules of Specific No. 8 as above, and give alternately with No. 11 - a tea-spoonful every half-hour till better. As the patient improves lessen the frequency of the dose. The patient should be given food sparingly, and cool, consisting of light, non-irritating substances - sago, tapioca, milk, arrow-root, corn starch, whitefish, etc. No eggs, acids, soda water, beer, spices, coffee or stimulants should be allowed. DIARRHEA IN CHILDREN during teething, or from cold, with colic, crossness or restlessness, greenish or watery stools, bilious, frothy and offensive motions, with pinching pain and fretfulness. Specific No. 3 prepared as above may be given in tea-spoon doses every hour till better.

CATARRH.

INFLUENZA, OR COLD IN THE HEAD.—This is a very common complaint, and often the precursor of serious and fatai diseases. It consists in most instances of a chronic inflammation of the mucous membrane of the air passages of the nose and throat, with generally much more depression, fever, cough, and the condition of the system is much more deeply affected than in a common cold.

TREATMENT.—Specific No. 34 when attended with copious watery, acrid discharges from the nose and soreness of the surrounding parts, with great lassitude. Specific No. 4—Running cold, with sneezing, soreness of the nose, sensitiveness to cold, and aggravation of symptoms toward evening. Specific No. 5—Sense of weight and pressure in the forehead, discharge during the day and stoppage during night. If much inflammation exists, alternate any one of the above Specifics with No. 1. Dissolve twelve globules of the Specifics selected in each in separate tea-cups half full of cold water, and give a teaspoonful alternately every two or three hours. In old chronic cases of Catarrh Specifics Nos. 7 and 34, taken No. 7 in morning and 34 at night, four globules a dose, slowly dissolved on the tongue, for a month or more. The most inveterate cases will generally yield to this treatment. Accessory means—copi-

ous draughts of cold water; hot foot baths may be taken occasionally, on going to rest; cold sponge baths when occasions will admit can be taken with benefit to persons liable to take cold easily.

CROUP.

Croup Cough, Hoarse Cough, Difficult Breathing, &c.—The croup begins as a catarrh, with a peculiar barking cough, and afterwards, usually at night, the symptoms become aggravated, with rapid breathing, quick, wiry pulse, thirst, hoarse voice, loud brazen cough, and great distress, the child throwing its head back to put the windpipe on the stretch; the metallic ringing sound heard in the inspiration and cough has been compared to the crowing of a young cock, or the barking of a puppy. This disease is often fatal. True croup is less frequent than Spasmodic Croup, which comes on suddenly, usually in the night, with a spasm of the muscles of the throat, so that the child struggles to get his breath, with a choking noise, and the lips become livid. It is distinguished from true croup by the absence of barking cough, feverishness, anxiety of countenance, and distress between attacks.

DIRECTIONS: True croup, the first remedy is Specific No. I, twelve pills dissolved in half a tea-cupful of water, to be given every 15 minutes, until four doses have been given. Then administer Specific No. 19 and Specific No. 1 in alternation, each prepared like No. 1, in separate cups, every half-hour, a teaspoonful until the patient is better. When it sleeps do not disturb it to give the medicine. In cases of croupy cough, prepare Specific No. 1, twelve pills, and No. 19, twelve pills, in separate cups, as above, and give a tea-spoonful alternately every half-hour until the patient is better. Warm foot and hand baths are recommended. Care should be taken to cover the parts bathed with warm flannel directly after the bath.

DIARRHŒA.

OF CHILDREN AND ADULTS.—Healthy infants have usually two or three motions in twenty-four hours. If the discharges become much more frequent, unnatural in color, watery, and accompanied with pain, medical treatment is necessary. For diarrheea, during teething, or from cold, with colic, crossness, and restlessness, greenish, waters, bilious, frothy and offensive

motions, with pinching pains and fretfulness, give four pills of specific No. 3 made into a powder, and placed on the tongue of the infant, every half-hour or hour until relieved. Dietacids, or acidulated drinks, rich vegetables, fresh meats and meat soups are forbidden; toasted bread, boiled milk and gruels are allowed; no coffee or spirituous liquors, neither to parent or nurse; keep as quiet as possible; cold water may be taken if found not to be injurious. If the case has become chronic, several stools per day without pain, but with gradual loss of strength, requires four doses of Specific No. 11 per day, and if there is a discharge of blood or bloody mucus matter, the Specific No. 32 should be alternated with No. 3, four pills every four hours, diet as above. The very worst cases have been cured. The above treatment is also applicable to adults.

DYSENTERY.

BLOODY FLUX, BILIOUS COLIC.—This complaint is properly speaking not a diarrhea, as no faces are discharged, but only mucus and blood accompanied by constant urging to stool, violent "cannot get done" feeling in the anus and rectum, or severe pain in the abdomen, if the disease is located higher up in the intestines. Symptoms: Stools undigested, pitchlike, tenacious, yellow, dark green mucus, bloody and slimy, preceded by anxiety, trembling, faintness, colic, etc., etc.

TREATMENT.—When the disease comes on the patient should be kept quiet; avoid exercise or labor of any kind; if possible, lie down and confine himself strictly to a diet consisting of porridge made of milk and flour well cooked, or rice-water and boiled rice. As long as the disease continues no vegetables or fruit can be allowed, neither meats or meat broths. Spirituous liquors of any kind are absolute poison. While using the Specifics use no other medicine. Opium or the like only conceals the disease by quieting the pain and evacuations, while the disease rages more distinctively. If the disease commences with high fever, twelve pills of Specific No. 1 may be dissolved in six spoonfuls of water, of which a teaspoonful every hour may be taken till two or three doses have been given, before commencing with Specific No. 32. Then give No. 32, four pills dissolved in a tablespoonful of water, every hour at first, then every hour or two hours as the patient improves. If the disease does not commence with fever, Specific No. I may be omitted. When there is dryness of the mouth, tenderness of the

abdomen, and blood passed with the mucus, Specific Ne $_0$ 32 should be alternated with Specific No. 2. This method of treatment will rarely fail to effect decided relief, in worst cases, in twelve or twenty-four hours, and a permanent cure in three to five days.

DIPHTHERIA.

DIPHTHERIA OR ULCERATED SORE THROAT.—This is a disease the germ of which enters the system in the form of miasm, like that of cholera, or any other miasmatic disease, and then in the course of its development propagates its own germ on the locality peculiar to itself, and that is the throat. In this respect it is a disease of the blood which is penetrated by the poison through and through if by non-interference we permit it to do so. If we can check the progress of the poison or neutralize its very existence, then have we indeed cured the disease, not sooner. Symptoms: The most distinguished features of the disease aside from the throat symptoms are: muscular weakness, showing itself mostly in a listless, lazy apathy, yet not adverse to complacently noticing or even playing, difficulty in swallowing liquids more than solids, hollow, snoaring respiration, loss of appetite for almost anything to eat or drink.

TREATMENT. —In the earliest commencement, when the first indications of dirty, whitish covering over the tonsils or palate can be seen, the following method of arresting the disease has been found beneficial. Blow into the throat through a canule or goose quill, a small portion of the flour of sulphur, repeat this three or four times a day at least, at the same time let the patient take one-half grain sulph, quinine twice daily for three or four days. The patient must be kept well nourished without exposure to fatigue. But after the poison has had time to set in the blood, in more general fermentation exciting high fever I would recommend the following, the best suited to domestic practice: Gargle the throat with a solution of salt and water, and wrap around the throat a cloth dipped in a similar solution, then if fever is present take twelve globules of Specific No. 1, and twelve globules of No. 15, and dissolve each in separate teacups half full of cold water and give a tea-spoonful alternately every half hour till fever subsides. If the fever does not subside in four or five hours, prepare 12 globules of Specific No. 2 in half a tea-cupful of cold water, also twelve globules of Specific No. 15 in another tea-supful of cold water, and give a tea-spoonful alternately every half hour, and if signs of improvement appear, then give every hour till the patient is better.

DROPSY.

FLUID ACCUMULATIONS.—This is an accumulation of fluid generally caused by previous acute fever, scarlet or other eruptive diseases of the abdominal organs, such as the liver badly treated, gout, abuse of spirituous liquors.—It is itself less a disease than the result of some morbid process or disease which has preceded it; hence the cure of the dropsy must depend upon the curability of the original morbid process from which the fluid results. The increased action of the kidneys and skin for some time result in carrying off the fluid, thus relieving the patient.

TREATMENT.—Give Specifics Nos. 7 and 11—a dose every morning alternately, four pills slowly dissolved on the tongue, for four days; then give Specific No. 25 four or six times daily till better; dissolve twelve globules in half a tea-cupful of water, give a tea-spoonful at a dose; continue for ten days, and again go back to Specifics Nos. 7 and 11 as before for four days, and again on

to No. 25 till cured.

DISCHARGE FROM THE EAR.

This disease is commonly met with in scrofulous children, but is sometimes the result of scarlet fever, measles, or from poisoning with mercury. Generally before the discharge takes place, the patient suffers from sudden pain, sometimes very acute, tenderness and soreness, unnatural noises, flushing of the face on the side, etc., etc. Every fresh cold much pain ensues and is relieved by a fresh discharge from the ear, and these discharges, after a time, terminate in noises in the head and deafness.

TREATMENT.—Recent inflammation from a cold, Specific No. I; tearing pain in the head with tendency to delirium, Specific No. 2; sticking, tearing pain behind the ear, swelling and a feeling as though the ear was stopped, Specific No. 35. It is especially suited to children after the inflammatory symptoms have been subsided by No. I. Thick bloody or fetid discharge, tearing pain in the side of the face, swelling or tenderness of the glands about the ear and especially when the complaint follows scarlet fever, measles, small-pox, etc., Specific 50. 4. Discharges from the ear, hardness of hearing, noises in

the head, No. 35. Select the remedy required and dissolve, in bad cases, twelve globules in half a tea-cupful of cold water and give a tea-spoonful every hour; in old chronic cases four globules dissolved on the tongue three times daily. Injections into the ear are generally injurious. Chronic cases take a long, patient course of homeopathic treatment to eradicate.

DYSPEPSIA.

BILIOUSNESS, ETC.—This disease is generally characterized by weakness of digestion with loss of appetite, slight or irregular appetite, painful and disordered stomach, flatulency, sour rising, ill humor, defective memory, drowsiness after a meal, sometimes vomiting of acids or mucus secreted in great quantities in the digestive organs. The principal cause lies in the irregularity of the diet; eating too much, too rich, or too indigestible food; using stimulating drinks, tea, coffee, liquors, chewing and smoking tobacco, the use of deleterious medicines such as calomel, etc. The above ill-usages should at once be discontinued. The commonly used remedies are worse than useless; cathartics do no good, only increase the disease they are intended to cure. Persons suffering under this pitiable condition should be careful of their diet, confining themselves to articles that agree with them best. Take very little fluid while eating.

Take before each meal and at night before going to rest, four pills of Specific No. 5, slowly dissolved on the tongue. If Specific No. 5 does not relieve in the course of twenty-four hours, alternate it with four pills of Specific No. 7. Warm or hot cloths on the stomach are often soothing. In acute cases of dyspepsia, take of the selected remedy, every six hours, a dose of four pills until better, but in chronic cases take only, every evening, Specific No. 5, alternately with Specific No. 7 in the morning till better. Application of water is, in the various forms of dyspepsia, of the greatest benefit, besides the use of the proper remedies. In most cases the wet bandage around the abdomen with cold ablutions mornings, drinking cold water, and exercise in the open air will be sufficient to successfully support the action of the medicine. Keep busy and cheerful; avoid

fatigue and exposure.

EPILEPSY.

FALLING SICKNESS, ST. VITUS' DANCE.—Epilepsy means literally a seizure, for often in a moment the patient falls to the

ground with sudden and complete loss of consciousness, struggling and foaming. It is generally followed by deep sleep, from which the patient awakes with headache and sense of weariness.

TREATMENT.—During the fit loose the patient's clothes. See that there is no pressure about the blood vessels of the neck. Place in a cool, dry place with the head slightly elevated, a linen pad placed between the teeth to prevent the tongue from being bitten; it should be pushed back. Keep patient from injuring himself, without too much force. Dashing cold water in the face and smelling salts are of no use. Let the fit have its course; after it let the patient sleep. Treatment between the fits—Homeopathic Specific No. 2 and No. 31 should be on hand, twelve globules of each dissolved in separate tea-cups half full of cold water, and a tea-spoonful should be given from each alternately, every hour till better. In chronic cases give Specific No. 31 in the morning, and Specific No. 14 at night. Four pills slowly dissolved on the tongue will generally effect a cure.

St. Vitus' Dance is manifested by uneasiness, twitches or jerking of the limbs, or drawing the muscles of the face. Sometimes the patient is troubled to feed himself or to talk. In old cases it takes a long time to eradicate. Take Specific No. 31 before breakfast, Specific No. 14 before dinner, and No. 31 before supper, daily, slowly dissolved on the tongue. Regular exercise and amusements not to fatigue, plain nourishing food in moderate quantities, cold ablutions every morning, abstain from stimulants, tobacco, strong tea or coffee, and excess of

every kind, especially sexual, must be strictly avoided.

ERUPTIONS

OF THE SKIN, ITCHING OF THE SKIN, FRECKLES, ETC.—It is not difficult to drive an eruption from the skin by external medical applications; the disease in most cases is not cured, but takes another form, perhaps worse to cure than the first. Formerly these diseases were treated by external applications, but all these diseases are kept above by some morbid condition of the system, and should be treated by internal remedies alone—remedies of such a nature as will permanently cure without injury to the constitution. Specific No. 20 will be a cure if employed in the following eruptive diseases: erysipelas, acute or chronic. The acute form will appear on the cheek or car, and pass over the face or scalp like a fire, with redness, swelling and itching. In this case, dissolve twelve pills of Specific No. 20

in half a tumbler of water, and give a table-spoonful every two hours until cured. No application should be made externally. Live on vegetables, soup, rice, but no meats, avoid coffee and spirits. A cure will be seen in three or four days. In chronic form when simple red patches appear, four pills three times daily, dissolved on the tongue, will be sufficient for a cure. Pimples on the face or forehead of young people can be safely removed by a few doses of No. 20; also salt rheum, scald head in children, nettle rash and tetter. For an adult, four pills dissolved on the tongue; infants, two, two or three times daily. Ulcers on the legs or other parts of the body are often cured by this Specific. For scaly eruptions on the body or face, salt rheum on the hands, feet or legs, No. 20, till cured, twice daily.

SIMPLE FEVER.

A feverish attack generally commences in the afternoon or evening, with alternate chills and flushes, followed by heat and dryness of the skin, hard, full, quick pulse, dry, coated tongue, thirst, hurried, anxious breathing; also pain in loins, headache, deranged bowels and loss of appetite. Wait's Homeopathic Specific No. 1 is found the chief remedy for such symptoms. Dissolve twelve globules in half a tea-cupful of cold water and give a tea-spoonful every half hour till perspiration breaks out, when the remedy may be discontinued. Many a life would be saved if this simple treatment was adhered to in the beginning. Cold water is the only beverage required. If the attack continues a day or two a milk diet should be adopted.

BILIOUS FEVER

Arises from decomposing matter, or foul drinking water. It comes on insidiously, the premonitory stage lasting a week or more. The bowels are much affected with diarrhea, congestion or even ulceration, with sometimes an eruption on the skin like measles, continues at least three weeks, often five or six or more. The tendency to death is by exhaustion. Wait's Homeopathic Specifics No. 1 and No. 5, have been found to shorten this disease from two to three weeks over other treatment, even broking it up. On the start take twelve globules of Specific No. 1 and dissolve in half a tea-cupful of cold water; also twelve pills Specific No. 5 and dissolve in another tea-cup half full of cold water and give a tea-spoonful alternately every hour or two hours according to the severity of the disease. Give no

other medicine. Cold water with a little lemon juice in it is generally acceptable.

TYPHUS FEVER

Generally arises from over-crowded, badly ventilated houses and destitution. It spreads by contagion; the head is chiefly affected, the bowels but little so; the eruption is of a mulberry color. It runs its course in about a fortnight or so. It tends to death by morbid drowsiness or coma, sometimes called brain fever. Wait's Homeopathic Specifics No. 1 and No. 16 are found to be the best and only medicine. Give as long as the disease lasts. Dissolve twelve pills of each in separate tea-cups half full of cold water, keep in a cool place and give a tea-spoonful alternately every hour or two hours. Fever patients should never be lest alone, but carefully watched day and night. Their urgent and incessant wants require this, and then safety demands it. The room should be a cool airy one, the top sash in the window should be let down a little to insure the escape of the foul air and a supply of fresh air, which is very essential in the case of fevers; plenty of cold spring or pure well water should be given freely, and no spirits while the fever lasts. The body, hands and face should be sponged with a little tepid or cold soft water once or twice daily—it reduces the fever. All the linen and bed clothes should be frequently changed, the linen washed and the other clothes weil aired. Two beds in a room is best for lingering cases. The diet should consist of toast water, rice, barley water, lemonade, not much tea or coffee as it prevents sleep. Cold water is the most pleasant and should not be refused. After the patient begins to get better relapses are apt to occur from indulging the appetite too freely; then even light food must be given in great moderation, but never all the appetite would crave. In cases where fevers prevail Specific No. I will act as a preventative. Take four globules dissolved slowly on the tongue, twice a day.

FEVER AND AGUE.

INTERMITTENT FEVER.—This disease belongs to the intermittent class which is caused either by a certain miasma generated in marshy countries, or follows other diseases (acute as well as chronic); for instance, inflammation of the liver, indigestion, internal obstructions, etc. The cold stage is preceded by languor, yawning, drowsy headache, the finger nails get blue, with

numbness of tees and fingers, with coldness of the extremities, gradually increasing until the patient begins to shake, his teeth to chatter, and sometimes delirium ensues, with the pulse weak and oppressed. The cold stage lasts from one-half to two or three hours, and varies much in severity. The hot stage has all the symptoms characteristic of an inflammatory attack—hot dry skin, pulse full and quick, thirst, congestion of the head and sometimes delirium. Its intensity and duration are varied—the latter being from two to six hours. The perspiring state indicates an abatement of the fever, although there is sometimes fever and perspiration at the same time.

TREATMENT.—Take twelve globules of No. 21 and dissolve in a half tea-cupful of cold water, and give a tea-spoonful every hour during the chill fever and sweat. For great debility, with disposition to vomit or violent pains in the stomach, alternate No. 11 with No. 21. Continue the use of Specific No. 21 after the chills have subsided, for at least four weeks, to prevent a return of the disease. Application of water in the cure of this disease is one of the best agents. The body wrapped in a wet sheet during the heat, and a sitting bath before going to bed in the evening, except when a fever paroxysm or during perspiration, and a wet bandage around the abdomen, are the best modes of application. The above internal treatment at same time. Diet and regimen the same as in fever-Avoid exposure, heavy indigestible food, or severe labor.

HEADACHE.

Headache may be merely an incidental symptom of a general disease, such as indigestion, common cold, typhus, deranged menstruation, congestion or inflammation of the brain, &c., or it may be a more or less local affection resulting from irritation of the cerebral nerves. Persons subject to headache should discontinue the use of strong tea, coffee and stimulating beverages of all kinds, as they generally contribute to keep up the disease and in some cases alone cause it. The cause should be ascertained and removed if possible. There should be regularity of meals, healthy action of the bowels, and daily open-air exercise, with clothing adapted to the changes of the season.

TREATMENT.—Take four globules of Specific No. 5 on going to bed, and four globules of Specific No. 1 in the morning, slowly dissolved on the tongue, as a preventative. When the attack comes on dissolve twelve globules of Specific No. 1 and

twelve of Specific No. 5 in separate tea-cups half full of cold water, and give a tea-spoonful alternately every hour till the pain abates.

SICK HEADACHE.—This the headache of indigestion is often erroneously called sick headache. Symptoms: Giddiness, dizziness, swimming in the head, sickness, &c. The headache is stupefying, generally commences in the morning, and is often confined to one spot, on the side of the head, on the forehead, or over the eye, generally caused by errors of diet, indulgence in wine, sedentary habits, or it may occur in a person whose digestion has been previously impaired. Treatment same as in ordinary headache. Headaches in females, occurring just before or during the monthly period, will be promptly relieved by Specific No. 18; four pills every hour. Headaches from constipation or derangement of the stomach are cured by Specific No. 5.

GENERAL DEBILITY,

OR PHYSICAL WEAKNESS.—This is generally caused by a drain on the system beyond its powers of recuperation, the result of some diseased action or sickness. The symptoms are varied; weakness, easy fatigue, weak or lame back, vertigo, singing in the ears, sweat on going to sleep, starting on going

to sleep, are among the frequent manifestations.

The first element of a cure is to arrest the drain and restore the wasted substance by means of proper nourishing diet and regimen, food which is nutritious and easily digested, with pure air and reasonable exercise. While this is being done the Specific No. 37 may be taken, four pills at a dose, four times daily, slowly dissolved on the tongue. Should the patient be troubled with indigestion, Specific No. 5 can be alternated with Specific No. 37 four times daily. An improvement will soon become apparent.

NERVOUS DEBILITY

SPERMATORRHEA.—This affliction is wide-spread, as well as very serious in its consequences—a disease much overlooked or underrated by medical men generally, and a great indisposition on the part of patient to refer personally to a medical man in his neighborhood on the subject. The discharge alloded to generally occurs as the result of a bad habit—self-abuse—either accidentally acquired or learned from associates, especially in

schools, and continued under the influence of a morbid imagination, and often in ignorance of the awful consequences of the vicious habit. Other causes may be unhealthy condition of the urethra or of the rectum, sexual excesses, irritation from worms, piles, or excessive horse exercise.

EFFECTS.—The effects of Spermatorrhæa are: depression of spirits, often very marked; loss or weakness of memory and of the senses; in ligestion, with oppression after food; flatulence, constipation, headache, &c.; sunken eyes, loss of healthy tint of the lips and face; the patient looking older than his years. When indulgence in the habit has been long continued the effects are more serious and general. Happily a course of judicious treatment is sufficient in nearly every case to effect a cur-.

TREATMENT.—Take four globules of Specific No. 28 in the morning and four of No. 21 at noon, and again four of No. 28 at night on retiring to bed. No treatment can be successfully carried out, unless the bad habits are relinquished. In old cases four or five bottles of each should be purchased at once, as it is important to continue their use for some time. They will dispel the mental gloom, tone up the system, and restore vitality. The discharge arrested, the whole system is built up. This is also a great medicine for the over-worked, over-taxed or careworn, who are in active or advanced life. The patient should not use highly seasoned food, tobacco, spirits, nor strong tea or coffee. A good, substantial, plain diet is required. These medicines sent free by mail on receipt of price, \$1.00 for No. 28 and 25 cents for 21, or \$2.00 for two bottles 28 and one of 21.

LEUCORRHŒA.

FLUOR ALBUS, WHITES, PROFUSE MENSES.—This troublesome and weakening complaint consists in a discharge of mucus
variously colored, and of a different consistency, from the vagina. It generally occurs between the ages of puberty and the
critical period, and is seldom seen later than this. Sometimes
the discharge is slight and a matter of only trilling annoyance,
while at other times it exhausts the system from the excessive
drain and rapidly undermines the constitution.

Weakly females, of a nervous, relaxed, or excited temperament are more prone to it; and the more our present state of society becomes over-civilized, with its legion of pleasures, inactivity of body, idle and late hours, bad literature and immoderate use of tea, coffee, and spices of all kinds, the more easily will this disease be engendered. The above causes should be abandoned. Care should be taken by persons subject to this disease to carefully guard their feet and abdomen from sudden changes of temperature or extreme cold. Take moderate exercise in the open air. Take four pills of Specific No. 18 three times daily, slowly dissolved on the tongue. In cases of suppressed menses take four pills of Specific No. 6 alternated with Specific No. 33 every four hours, slowly dissolved on the tongue, for a week. Then leave off three weeks, and commence again as before. So continue until the desired effect is accomplished.

OPHTHALMIA.

Weak or Inflamed Eyes.—Ophthalmia is a general term for inflammation of the mucous membrane which lines the eyelid and the front part of the eye-ball. Symptoms: Soreness in the ball of the eye, sensation as of sand under the lids, redness of the eyes with swelling of the vessels, itching and shooting pains, pustules and scales on the lids. The pains increase towards evening and on exposure to cold, with eyelids stuck together in the morning.

TREATMENT.-If inflammation has been caused by sand. dust, lime or other foreign substance, the irritating body should be removed, and if the inflammation be considerable a shade should be worn. Take twelve pills Wait's Specific No. I and twelve pills Specific No. 22 and dissolve in separate tea-cups half full of cold water, and in cases where much pain and inflammation exists, give a tea-spoonful every hour till the inflammation has subsided, then give Specific No. 22 four times daily, four pills slowly dissolved on the tongue, till cured. In old chronic cases, take Specific No. 1 in the morning and No. 22 at night, four pills slowly dissolved on the tongue. To prevent the eyelids from sticking together, put a little olive oil on the lids at bed time. The only local application admissible in domestic practice, is a little linen wet with cold soft water, or a solution of a tea-spoonful of "Hamaline" in half a tea-cupful of soft water generally affords prompt relief.

STY.—To remove from the eyelids, take Specific No. 6, as above. Specific No. 10 will remove the tendency to return.

PAINFUL MENSTRUATION.

The causes of these tormenting distresses of females are generally laid in the early part of womanhood, and owing chiefly to improper treatment of other diseases. Suppression of eruptions or habitual discharges, rheumatic disorders, colics, etc., etc. Many females suffer an untold amount of pain at every return of the menstrual period. Often the suffering of one period is hardly over before the other comes on, causing a dread of their return, often being very debilitating to the sufferer's constitution.

TREATMENT.—If possible lie down, cover well, and take twelve globules of Specific No. 30 and dissolve in a half teacupful of cold water and give a tea-spoonful every half hour till relieved. During the intervals between the periods, take every night four globules of Specific No. 33. A continued use of these two Specifics will not fail to cure.

ACUTE RHEUMATISM.

Acute rheumatism sets in with general febrile disorder followed by acute inflammation about one or more of the larger joints, the shoulder, elbow, knee, ankle, etc. The affected joints are swollen, tense, stiff, slightly reddened, very painful and the pain is so increased by movement that the patient often says he has lost the use of his limb. The skin is hot, tawny in color, but covered with a sour sweat having an offensive odor, the pulse is round and full, the tongue furrowed, bowels generally confined.

TREATMENT.—If fever heat and swelling of the part have already begun, or a chill followed by heat, prepare Specific No. 1 by dissolving twelve pills in half a tumbler of cold water, of which give a tea-spoonful every hour for twelve hours; then prepare Specific No. 12 in same manner as above, (don't use same spoon for both) and give them alternately every two hours. The Specifics should be prepared fresh every morning and the treatment continued from day to day till the disease is broken up.

CHRONIC RHEUMATISM.

Pains in the shoulders, hands, arms, knees, loins, soreness about the chest; Specific No. I should be alternated with Specific No. 12 every four hours, four pills dissolved on the tongue, till relieved. This will not only afford relief, but will cure cases of long standing. The diet of the rheumatic patient

should consist of oranges, lemons or grapes may be given, but apples and stone fruit withheld, with milk and vegetables, but little or no meat. The acid of fruit should be largely used in this disease as a curative agent.

LUMBAGO RHEUMATISM

Of the muscles of the chest, crick in the neck, etc. The treatment is the same as in chronic rheumatism.

INFANTS TEETHING.

Teething is an important process in the development of a child, and in delicate children is often accompanied by various local and general symptoms of disorder. The causes of disorder. dered dentition are in some cases excessive quantities of food improper food, keeping the head too hot, local affection of the gums, strumous constitution, etc. During the time children an getting teeth, whenever there is much fever, wakefulness, res lessness, or worrying, they should have immediate attention, children do not cry and worry if they are well and properly care for. It should be remembered that many persons in charge infants do a gross wrong to the little sufferers by giving the anodynes, cordials and soothing syrups, to put the poor cretures insensible for a little while, but only to render them costin bringing on other serious disorders. Then a dose of castor i or other purgative, which only prostrates the little one deranging its stomach, and in a little time fastening a perm nent illness on the child perhaps for life. This is very wron Wait's Homeopathic Specific No. 14 is the right medicine for d eases caused by children teething or fretfulness, feverishness, w rying, slow growth, feebleness, sore mouth, general debility. G two pills on the tongue four times daily. The result will manifest in a few days. If a high fever should prevail altern Specific No. 14 with Specific No. 1.

SORE MOUTH IN INFANTS.

This disease, to which infants are most liable within the or second month after birth, consists in the formation of whit flake-like excrescences on the tongue and around the gums. I disease is sometimes dangerous, but can be effectually cured Specific No 4. Dissolve twelve pills in half a tea-cupful of water and give a tea-spoon half full every four hours. S.

treatment for a grown person that is suffering from sore mouth

Restlessness, nervousness, sleeplessness, in either children or adults, by Specific No. 14, but when there is beating or fulness of the head, Specific No. 1 alternated with No. 14 every two hours.

TOOTHACHE

Is caused by decayed teeth, sudden changes of temperature, indigestion or general ill health.

TREATMENT.—If strong kreosote or laudanum has been used locally, the mouth should be thoroughly cleansed before taking any medicines recommended in this book—all those medicines have a tendency to injure more than do the patient good. Take four pills of Specific No. 2, repeating every hour if needful; if not relieved, dissolve twelve pills of Specific No. 2 in half a tumbler of water, also in the same manner twelve pills of Specific No. 1, and take tea-spoonful doses of the two alternately every hour till relieved. Sometimes No. 12 acts quickly.

NEUBALGIA.

The pain is usually confined to the course of a branch of nerves and is very acute, cutting or piercing in its character, sometimes worse in the evening and better in the morning. Take of Specific No. 2, four pills every hour, and if not relieved in three or four hours, alternate with Specific No. 1, every hour till cured.

URINARY DISEASES.

Gravel Calculi, Unhealthy Mucus or Brick-Dust Deposit in the Urine.—Gravel makes its appearance by a violent colic pain about the region of the kidneys, inside the hip bone and down in front along the course of the urethra, scanty and painful discharge of variously colored urine from time to time, followed by the above pains. As the gravel passes from the kidneys along to the bladder the pains are very severe, sometimes causing paroxysms, and returning from time to time till the gravels are discharged. Specific No. 27 will relieve this difficulty in a few days. Take four pills of this Specific dissolved on the tongue, before each meal and on going to bed. A hot foot and seat bath will many times afford relief. If much feverish excitement prevails, alternate Specific No. 27 with No. 1 every four or six hours.

CATARRH OF THE BLADDER.

DISEASES OF THE URINARY ORGANS. - Incontinence of urine, wetting the bed, painful urination, too frequent, scalding, inability to retain the urine. In many cases it arises from irritation of the bladder, sometimes in children from worms, and in some cases from improper habits. If from worms, Specific No. 13 may be given in alternation with Specific No. 29, three pills three times daily, dissolved in a table-spoonful of water. acute inflammation of the urinary organs with irresistible desire to urinate, or involuntary urination from a relaxed or paralytic condition of the neck of the bladder, should be treated at once by giving four pills of Specific No. 29 every four hours, slowly dissolved on the tongue, till better. All sharp salty and sour articles, spirituous liquors, tea and coffee should be avoided, milk, water or cocoa may be taken in the morning, but nothing hot toward evening. Flax seed or slippery elm tea diminish the sharpness of the urine and may be drank in moderation.

WHOOPING-COUGH.

This is an epidemic and contagious disease. It generally commences as a common cold, accompanied by hoarseness and a cough. In about a week the cough returns at short intervals, in paroxysms of extreme severity, the child turns red or almost black in the face, and appears as if choking. The attacks occur every two or three hours and in severe cases oftener, and are worse at night. The disease, if uncured, will continue from three to twelve weeks.

DIRECTIONS.—When children have been exposed or begin to cough, give four pills of Specific No. 23, four times daily. After the disease has fairly set in, give four pills every four hours during the day. This is sufficient in ordinary cases, but in very severe cases administer four pills every two hours, day and hight if awake, slowly dissolved on the tongue, and after the child begins to improve less frequent will answer. Should there be much fever and inflammation of the air passages threatened, give Specific No. 1 alternated with Specific No. 23, twelve pills of each Specific prepared by dissolving each in a separate tumbler half full of water, a tea-spoonful every hour alternately. The child should have light diet, no cake or rich heavy food, such as fat meat, etc., but plenty of mucilaginous drinks, such as slippery elm tea, rice-water, gum-water or Irish moss tea. In

this way it will be of short duration and of a mild type, as a trial will prove.

WORM FEVER.

OR WORM DISEASES, ETC. - The principal symptoms by which the presence of worms in the system is indicated are the following: The complexion of the patient is pale and changeable, livid circles around the eyes, accumulation of saliva in the morning and when not having taken nourishment for some time, irregular appetite, nausea, fetid breath, great languor, picking and boring at the nose, with sneezing, abdomen enlarged but not hard, frequent distressing pains in the stomach, in the region of the navel, which force the patient to draw up the limbs against the abdomen or lie on the stomach when going to sleep, pupils of the eye dilated, bleeding at the nose, starting as if from fright during sleep, also grinding of the teeth, disposition to spasms and unusual emaciation, while the stomach is enlarged. surest sign of worms, however, is the discharge of worms or parts of them. Signs of ascarides or pin worms especially are: itching in the anus, more in the evening or at night, difficulty in making urine, discharges of mucus from the rectum, bladder or

vagina.

TREATMENT. - To eradicate worms, give the child plain diet, ment once a day, little or no pastry, cake, preserves or candies, but substantial nourishing food, and give them four pills of Specific No. 13, morning and night or even four times daily. The result will be that worms will pass off either whole or ground up with the food in the evacuations. When the attack commences with violent fever, full, quick pulse and hot skin, dissolve twelve pills of Specific No. I in a half-tumblerful of cold water, and give the child a tea-spoonful every hour for four or six hours, until the fever subsides. Then prepare the No. 13 in the same manner, and give it until entirely relieved. Continue giving No. 13, morning and night, to effect a perfect cure. (Five no other medicines. Cathartics may remove a worm, but they do not remove the disease that engenders the parasites. If the pin worms are numerous and troublesome and you desire immediate relief, give an injection of half a pint of tepid water, in which a teaspoonful of common salt has been dissolved. This once or twice repeated will often relieve the patient thus troubled. It is best administered at bed time. Dr. Pute says: "Merely expelling the worms by remedies which have no specific bearing upon the worm disease is of no essential

use, and requires often enormous quantities of poisonous and dangerous stuff before one of the worms are sickened, killed or expelled. Yes, I have seen the foundation of painful and chronic disease laid by over-medication in the presumed or real presence of worms." Wait's Homeopathic Specifics will obviate the above, and in curing one disease will not bring on another.

The superiority of Wait's Homeopathic Specifics over every other form of medicine is briefly:

THEY ARE SIMPLE.—So that no mistake can be made in selecting or giving the remedy.

THEY ARE HARMLESS.—So that if taken by mistake or accident, no injury results.

THEY ARE CONVENIENT.—Meeting at once numerous ills and ailments to which all are exposed.

THEY ARE EFFICIENT AND RELIABLE. — By their timely use five-sixths of all diseases are arrested without making one sick or calling a physician, thus saving a vast amount of suffering and a multitude of lives.

Ms All orders sent free by mail or express on receipt of price. Price, twenty-five cents per bottle, except the specials of No. 28 and Syphiloids marked in the list.

Wait Homeopathic Medicine Manufactory, ARNPRIOR, ONT.

PATIENTS' DIRECTORY.

Diseases. Medicines Recommended.

APOPLEXY—Specific No. 1.

ASTHMA—Specific No. 16.

BILIOUSNESS-Specific No. 5.

BILIOUS COLIC-Specific No. 32.

BILIOUS FEVER-Specific No. 1 and No. 5.

BLEEDING FROM THE LUNGS—"Hamaline."

BLEEDING PILES-Apply "Hamaline" and take Specific No. 7.

Boils-Apply "Hamaline" and take Specific No. 20.

BRONCHITIS.—Specific No. 17, and No. 1 alternated with it,

CANKER, SORE MOUTH-Specific No. 4.

CATARRH-Specific No. 34.

CHILLS AND FEVER—Specific No. 21.

CHOLERA MORBUS—Specific No. 8.

CHOLERA-Specific No. 8.

COUGH-Specific No. 17 and No. 1.

COLD—Specific No. 17. If fever alternate with No. 1.

COLD IN THE CHEST—Specific No. 17 with Specific No. 1.

COLD IN THE HEAD-Specific No. 34.

COLIC-Specific No. 3.

Convulsions of Children—Specific No. 31.

CONSTIPATION - Specific No. 5 with Specific No. 7.

CRAMPS IN THE LEGS-Specific No. 8.

CRAMPS IN THE STOMACH—Specific No. 5.

CROUP-Specific No. 19 alternated with No. 1.

DEAFNESS—Specific No. 35. If from cold in the head No. 34. Debilety, General-Specific No. 37.

DIARRHGEA—Specific No. 11.

DELIRIUM TREMENS—Homeopathic Nux Vomica and Opium in alternation.

DIPHTHERIA-Specific No. 15 with No. 1.

Dropsy—Specific No. 25.

DUMB AGUE OR OLD AGUE-Specific No. 21.

DYSENTERY-Specific No. 32.

1/4

Dyspersia-Specific No. 5 and No. 7 alternately.

EAR ACHE-Specific No. 35.

EPILEPSY-Specific No. 31.

ERYSIPELAS-Specific No. 20.

FAINTING-Specific No. 8.

FEVER-Specific No. 1."

FEVER AND AGUE-Specific No. 21.

GOUT-Specific No. 12 and No. 1.

HEADACHE-Specific No. 9 and No. 5.

HEARTBURN-Specific No. 5 or No. 6.

HICCOUGH-Specific No. 1 or No. 5.

HIVES OR RASH-Specific No. 20.

HOARSENESS-Specific No. 17; chronic, No. 19 and No. 11.

INDIGESTION—Specific No. 5.

INFLAMMATION OF BOWELS-Specific No. 1.

INFLAMMATION OF THE EYES—Specific No. 22 alternated with No. 1, and apply Hamaline three times daily.

INFLAMMATION OF THE LUNGS—Specific No. 1 in alternation with No. 17.

INFLAMMATION OF THE KIDNEYS—Specific No. 29 alternated with No. 1.

INFLAMMATION OF THE LIVER — Specific No. 5 alternated with No. 1.

INFLAMMATION OF THE PLEURA-Specific No. 1.

INFLAMMATION OF THE CHEST, BRONCHITIS—Specific No. 19 and No. 17.

and No. 17.

INFLAMMATION OF THE TONSILS.—Specific No. 15 with No. 1.

INFLUENZA—Specific No. 34.
KIDNEY DISBASES—Specific No. 27 and No. 29 alternately.

LAME BACK, LUMBAGO—Specific No. 12 and apply Hamaline as a liniment. Never fails.

LEUCORRHŒA OR WHITES—Specific No. 18 and inject Hamaline, diluted with soft water, morning and night.

Loss of Appetite—Specific No. 5.

Loss of Voice-Specific No. 17 and No. 19 alternately.

MEASLES—Specific No. 1 alternate with No. 6 for three days, and finish up with No. 7.

MENTSRUATION, PAINFUL—Specific No. 30.

MENSTRUATION, Too Profuse—Specific No. 18 alternated with No. 5.

MENSTRUATION, SUPPRESSION OF-Specific No. 33.

MUMPS—Specific No. 1 alternated with No. 24.

NERVOUSNESS-Specific No. 14 alternated with No. 5.

NERVOUS DEBILITY—Specific No. 28 alternated with No. 21. (See treatment.)

NEURALGIA-Specific No. 2. *

Nose Bleed—Hamaline 20 drops, doses every half hour and put a little in water and snuff up the nose.

PAIN IN THE LIMBS, RHEUMATIC—Specific No. 12, if fever, No. 1 alternated.

PAIN IN THE CHEST OR SIDE—Specific No. 17 and No. 1 alternated.

PALPITATION OF THE HEART—Specific No. 1 alternated with No. 36.

PARALYSIS—Specific No. 5 alternated with No. 31.

PILES—Specific No. 7 alternated with No. 5 and apply Wait's Hamaline twice daily, night and morning.

PIMPLES ON THE FACE-Specific No. 20.

PIN WORMS—Specific No. 13 and an enema of salt and water.

PLEURISY-Specific No. 1 alternated with No. 17.

QUINSY-Specific No. 1 alternated with No. 15.

RESTLESSNESS OF CHILDREN-Specific No. 3.

RHEUMATISM—Specific No. 12, if with fever altenate with No. 1.

SEA SICKNESS-Specific No. 26.

SCARLET FEVER-Specific No. 1.

SCARLET RASH-Specific No. 1 and No. 20.

SICKNESS OF THE STOMACH—Specific No. 8.

SLEEPLESSNESS—Specific No. 3 and No. 1 alternated, SMALL POX—Specific No. 1 alternated with No. 20.

SORE EYES—Specific No. 22 and Specific No. 1 alternated, also apply a lotion of Hamaline.

SORE MOUTH-Specific No. 4.

Sore Nipples—Apply a lotion of Hamaline after nursing; take Specific No. 3

SOUR STOMACH-Specific No. 5.

STOMACH ACHE-Specific No. 5.

STOMACH WORMS-Specific No. 13.

ST. VITUS' DANCE-Specific No. 31.

STY-Specific No. 6.

SUN STROKE—Bathe the head with a lotion of Hamaline and give Specific No. 1 alternately with a tea-spoonful, every hour, of brandy and water.

SWELLED FACE—Specific No. 1 and bathe the face with Hamaline.

SWELLED OR SORE FEET—Specific No. 1 and bathe the feet with Hamaline.

SWOLLEN TONSILS-Specific No. 15.

TEETHING-Specific No. 3.

TORPID LIVER-Specific No. 5.

URINARY IRRITATION-Specific No. 29.

VENEREAL DISEASES-Syphiloid X., XX., XXX.



LIST OF Homeopathic Remedies,

Indications for their Use,

PREPARED BY THE

WAIT HOMEOPATHIC MEDICINE MANUFY. ARNPRIOR, ONT.

Specific Ño. I.

Cures Fevers, Congestions and Inflammations: Heat, Pain, Restlessness; Inflammation and Congestion of the Head or Brain; Inflammation of the Eyes; Inflammation of the Throat or Quinsy, alone or in alternation with No. 15; Pneumonia or Inflammation of the Chest or Lungs; Inflammation of the Pleura (Pleurisy); Inflammation of the Liver and of the Bowels; Fevers of Children; Scarlet Fever; Scarlatina; Measles; Inflammatory, Bilious or Gastric Fever; Yellow Fever; Inflammatory Rheumatism; Sunstroke; Effects of being Overheated; Violent, Throbbing Headaches; Sleeplessness from Fever or Fulness of Blood.

Cures Neuralgia and Nervous Pains; Toothache Specific in Sound Teeth, or in old Decayed Teeth; Toothache in Children; Face Ache; Ticdouloureux; Swelled Face; Darting, Sharp or Stinging Pains; Neuralgia Pains, Old Neuralgias, Headache.

Chiefly affects the Nervous System, Liver and Bowels. Is good for children during teething, when irritable and fretful; in the Diarrhoea of children; for Sleeplessness; Derangement of the Stomach, etc.

Cures Sore Mouth or Canker; Nursing Sore Specific Mouth: Sore Mouth or Canker in adults or child-No. 4. Ten; Morning Sickness of expectant women; In-digestion; Toothache from decayed teeth. Specifica No. 5. Cures Dyspepsia, Indigestion, Weak Stomach, Rising of Food, Water Brash, Bad Taste in the Mouth, Coated Tongue, Loss of appetite, Loathing of Food, Constipation or Costive Bowels; Scanty Knotty, Small, Hard, Dry or Insufficient Stools; Billiousness; Yellow or Earthy Complexion; no Appetite; Drowsiness and Costive Bowels; Acid Stomach, everything eaten becoming sour; Old Chronic Dyspepsia when everything disagrees; Headache from Indigestion; Old Chronic Liver Complaint, with Indigestion, Enlargement of the Liver, Chronic Constipation and Piles; Flatulence and Bloating of the abdomen after eating; Offensive Breath.

Specific No. 6.

Especially adapted to the female sexual system, cures all irregularities, Tardy, Scanty, Suppressed or Painful Menstruation; Leucorrhœa; Deficient Secretion of Milk, etc.; Indigestion, Nausea from cating fat pork, pastry or other rich food.

Specific No. 7. Cures Piles or Hemorrhoids; Blind or Bleeding Internal or External Piles, with Fulness, Itching and Burning; Inflamed, Hot, Burning, Sore Tumors around the rectum; Falling of the Rectum; Itching of the Anus. Used in connection with No. 5 in skin diseases.

Specific No. 8. Cures Cholera Morbus; Asiatic Cholera: Nausea and vomiting; Sickness of the Stomach; Vomiting with Diarrhoea; thin, loose, urgent or rice-water Stools, with vomiting, coldness, paleness, blue lips and cramps; Morning Sickness.

Specific No. 9.

Cures Headaches; Bilious Headaches; Nervous Headaches and Sick Headaches with Nausea and Vomiting; Congestive Headaches; Vertigo or Dizziness; Swimming of the Head; Heaviness of the Head; Heat or fulness of the Head.

Specific No. 10. Cures Croup; Wheezing Breathing, Hoarseness, Inflammatory Affection of the Windpipe and Air-Passages; in alternation with Specific No. 1, best known remedy for croup. Specific No. 11. Cures Diarrhea or Loose Bowels in children or adults; Summer Complaint or Cholera Infantum; Thin, Loose, Yellowish, Greenish or Watery Stools; Diarrhea from indigestible food; Diarrhea from the use of fruit; Diarrhea from travelling or change of water; Painful Diarrhea; Chronic Diarrhea or Loose Bowels; Diarrhea of Consumptives.

Specific No. 12. Cures Rheumatism, Acute Rheumatism with painful, hot swelling of the part; Chronic Rheumatism with lameness, stiffness and soreness of the part; Sciatic Rheumatism, with pain in the hip, knee or leg of the affected side; Lumbago, or pains across the loins or back; Old Rheumatic Pains or Lameness, in connection with No. 1.

Specific No. 13.

Cures Worm Diseases, Worm Fevers, Worm Colic, Itching of the Anus or Wetting of the Bed from Worms; irregular or capricious appetite or emaciation from Worms; Long, Round Worms, Pin and Tape Worms.

Specific No. 14. Cures diseases of infants or young children, such as Colic, Crying and Sleeplessness, Irritation and Congestion from Teething, Slow Growth and Feebleness of Infants, Irregular Teething, Diarrhoa of Infants, Retarded Walking, Enlargement of the Joints, and bending of the Long Bones, Sleeplessness of adults from Nervousness.

Specific No. 15.

Cures Diptheria and Diptheritic Sore Throat, Ulcerated Sore Throat, Quinsy Sore Throat, Malignant Sore Throat, Tonsilitis, Ulcerated or Enlarged Tonsils, painful, difficult, impeded Deglutition, Old Sores, and Ulcerated Throats of Sylphitic origin.

Specific No. 16. Cures Asthma, old Chronic Asthma with attacks of oppressed, labored, difficult breathing, cough and expectoration, Dry Asthma, Humid Asthma, Stridulous or Sighing Respiration.

Specific No. 17.

Cures Coughs, Hoarseness, Bronchitis, Influenza and Sore Throat; Cough with pain and stitches in the side or breast; Cough with emaciation as from Incipient Consumption; Cough with morning chill and evening fever; Cough with pain or soreness in the throat; Bronchitis, Hoarseness or Loss of Voice in Clergymen; Old Chronic or Consumptive Cough; Inflammation of the Lungs or Pleura, given after or in alternation with No. 1: Chronic Bronchitis or Laryngitis, with Cough, Hoarseness, Loss of Voice or Weak Voice, Scanty Expectoration or Emaciation.

Specific No. 18. Cures Female Weakness, Leucorrhœa or White, Yellowish, Thick, Offensive or Corrosive Discharge, Menses too soon and too long continued, too Profuse and Debilitating Menses, Constant Bearing Down, Prolapsus Uteri, Old Debilitating Leucorrhœa.

Specific No. 19. Cures Croup, Hoarse, Croupy Cough, Inflammatory Croup, Spasmodic and even Membraneous Croup, Croup with Quick Pulse, Hot Skin, Difficult, Labored, Stridulous Breathing and Hoarse Cough, Laryngitis with Hoarseness, Pain in the Throat, Painful Cough and Scanty Expectoration, Chronic Hoarseness.

Specific No. 20. Cures Eruptions, Erysipelas with Hot, Smooth, Swelled Skin or Blister, Salt Rheum, or Rough, Scaly, Chapped Eruption on the hands or other parts, Pimples or Blotches on the Face, Nettle Rash like stings of insects, Scald Head, Barber's Itch, Old Ulcers.

Specific No. 21.

Cures Fever and Ague, Intermitting Fevers, Dumb Ague, Malarial Fevers, Effects of Malaria, Old Suppressed Agues, Ague Cake, Enlarged Liver or Spleen, or other effects of badly treated Agues and of the Quinine, Cholagogue, Arsenic or other drugs taken to cure it.

Specific

Cures Ophthalmia or sore eyes, Old Chronic, Sore, Inflamed or Weak Eyes, with Heat, Redness, Scalding Tears and dread of light; Painful, Red, Inflamed Eyelids, with constant secretion of mucus; Weak, Dim, Failing or Blurred Sight; Acute Inflamed Eyes or Eyelids. Use with No. I.

Specific No. 23. Cures Whooping Cough; given early this Specific arrests the development of the cough, and given at any stage allays the irritation, moderates the cough, and winds up the disease; Old, Violent, Spasmodic or Convulsive Coughs.

Specific No. 24.

Cures Scrofula and Diseases of Scrofulous origin; Enlarged or Inflamed Glands under the jaw, around the neck, or under the arm-pits; Enlargement of Tonsils, Old Ulcers and Eruptions, Old Swellings.

Specific No. 25.

Cures General Dropsy or Anasarca, Dropsy of the Abdomen, Dropsy of the Chest, Heart or Head, Dropsy with Tumid Swellings and Scanty Secretions

Specific No. 26.

Cures Sea-Sickness or sickness from riding in a carriage or on railroads; Headache from same cause. Nausea and Vomiting, Prevention of Sea-Sickness.

Specific No. 27. Cures Diseases of the Kidneys and Urinary Organs; Bright's Kidney, Gravel and Renal Calculi; Catarrh of the Bladder; Sand and unhealthy deposits in the Urine; Thick, Turbid, Frothy Urine, filled with mucus and brick-dust deposits; too frequent discharge of Urine; Nightly Enuresis, Pain in the regions of the Kidneys and Bladder.

Specific No. 28. Cures Nervous Debility, Loss of Nervous Power and General tone of the System, Irresolution, Mental Gloom or Despondency, Weakness from Loss of Vital Fluids, Involuntary Nocturnal Emissions, Seminal Losses at Stools or during Urination, Depression, Prostration, Mental Weakness or other effects of early evil habits, Overwork, Mental Strain, Threatened Impotency, Enfeebled Powers; use in connection with Specific No. 21. Price, \$1.

Specific No. 29. Cures diseases of the Urinary Organs, Incontinuence of Urine, too frequent Scalding or Painful Urination, Inability to retain the Urine, Catarrh of the Bladder, Frequent Scalding Urination with mucus discharge, Nightly Wetting the bed in children, Nocturnal Urinary Incontinence.

Specific No. 30. Cures Painful Menstruation, Menstruation with Painful Bearing Down; Menses with Painful, Pressive, Cutting, Griping and even Spasms; too Profuse Menses with pain and distress; Itching and Burning Irritation of the Organs, Puritis.

Specific No. 31. Cures Epilepsy, Spasms, Convulsions of children or adults with Loss of Consciousness; Spasms or Convulsions of children from the slightest cause; St. Vitus' Dance, with Twitching, Jerking or strange motions of single features, muscles or parts; Hysterical Spasms or Hysteria.

Specific No. 32. Cures Dysentery, Fall Dysentery or Bloody Flux; Slimy, Scanty Mucus; Greenish, Bloody Stools attended by violent Colic or Straining and Tenesmus; Painful Diarrhœa, Colic, Bilious Colic, Hemorrhoidal Colic.

Specific No. 33. Cures Female Irregularities; Delaying or too tardy or late appearing Menses; Suppressed or Obstructed Menses, from cold, fright, weakness or morbid causes; too Scanty, too Pale or Colorless Menses; Green Sickness or Chlorosis; Painful, Scanty Menses; Leucorrhœa, with scanty or delayed Menses.

Specific No. 34.

Cures Catarrh and all mucus discharges from the nose; Influenza or Acute Catarrh with flow of scalding mucus, tears and sneezing; Old Chronic Catarrhs with profuse discharge of thick, sometimes offensive mucus; Obstructed Nose and often loss of taste or smell; Chronic Cold in the Head; Catarrh of Children.

Specific No. 35. Cures Diseases of the Ear and Hearing; Earache, Discharge from the Ear in consequence of Measles, Scarlatina or other Diseases; Inflammation of the Internal Ear; Hardness of Hearing; Noises, Buzzing, Ringing or Piping in the Ears; Whitlow; White Swelling of the Knee or Hip.

Specific No. 36. Cures Diseases of the Heart, and Irregularities and Morbid Conditions occurring at the critical age of women, or change of life; Flushes of Heat; Palpitation of the Heart; Violent Throbbing or Irregular Beating of the Heart; Chronic Disease of the Heart.

Specific

Cures General Debility, Physical Weakness, Want of Strength, Lassitude, Easy Fatigue, Sweat on going to Sleep, Debility, the result of severe illness or severe drain upon the system, want of Tone or Iron in the Blood.

X. Syphiloid. Cures Gonorrhea, Gleet, Stricture, Old Urinary or Kidney Complaints, Burning, Painful Urine. Bottle, with directions, \$2.

XX. Syphiloid. Cures recent or primary Syphilis, Venereal Chancres and Ulcerations, Swellings in the Groin or Buboes, Sore Throat, &c. Price, case of three bottles, powder and fluid, with full directions, \$2.

XXX, Syphiloid. Secondary and Tertiary Syphilis, Eruptions, Rash, Copper Spots, Disease of the Throat, Disease of the Mouth, Syphilitic Disease of the Nose, Ulcerations and Decay of Bones, Bone Pains. Cases, with description of disease and treatment, price, \$2.

MAMAT

This is a combined distillation from the shrub Hamamelis or Witch Hazel—and other plants—prepared by the proprietor and its purity can be relied on. As most preparations in the market, of its kind, are worthless, see that the word Hamaline is on every weapper, as this is my trade mark. This preparation should be in every hous, as it is worth its weight in gold and will save ten times its cost.

HAMALINE

Renders prompt relief and is a ready cure for contusions, strains, cuts, bruises or injuries. It will stop bleeding at once; arrests inflammation; will reduce swelling, even removing discoloration; and will really heal wounds much more quickly than any other known preparation.

HAMALINE

Acts like a charm in giving relief to burns, scalds and sunburns.

HAMALINE

Is priceless in relieving chilblains, stings of insects, mosquito bites. Try it, and you will never use anything else if you can get HAMALINE.

HAMALINE

Will stop hemorrhages or bleeding from the nose, from cuts, bleeding gums, spitting blood, bleeding lungs or stomach, bleeding piles.

HAMALINE

Cures piles. It never fails.

HAMALINE Acts promptly in relieving neuralgia, toothache, earache, face-ache, swelled face, &c.

HAMALINE

Relieves rheumatic pains, lameness, soreness of the joints and limbs.

HAMALINE Will prove a sovereign remedy for inflamed eyes when much inflamma-tion prevails, as an outward application gives immediate relief.

HAMALINE

Cures sore throat, enlarged tonsils, quinsy,

HAMALINE

Cures every variety of excortations, soreness, chaps, chaffing of any nature. HAMALINE

Cures kidney complaint, gravel, or other similar complaints.

HAMALINE

Acts like a charm in simple diarrhea and will assist in old chronic cases to relieve.

HAMALINE

Will cure leucorrhea or whites, and similar mucus discharges, used as an injection it is worth its weight in gold.

HAMALINE Acts like magic in old ulcers, old sores, boils, felons, corns and tumors,

HAMALINE Is a remedy that every stable should have on hand for its usefulness in all injuries that beasts are subject to. Many a poor animal

could be relieved from suffering by its use.

PRICE, 25 AND 50 CENTS PER BOTTLE.

Manufactured only by the

WAIT HOMEOPATHIC MEDICINE MANUFACTORY,

JOHN T. WAIT, Proprietor, Amprior, Ont.

WAIT'S HOMEOPATHIC SPECIFICS.

Our Homeopathic Remedies are meeting the many requirements they were designed for. Families should not be without them, as they save ten times their cost. They are the invalid's friend. They should be used for the following reasons:

- 1. The cures effected by them are radical, certain and quick, and they do not leave the patient prostrated as many alopathic medicines do.
- 2. Instead of producing one disease to cure another these specifics act directly on and through the nervous system, through the nerves of the tongue, prompting and assisting nature to throw off the disease, which it does promptly and effectually.
- 3. They are the cheapest medicines sold in the market. First, they will cure certainly and quickly; this alone would be sufficient to establish our claim, but there are also more doses in a bottle and you do not have to take from one to twelve bottles, as some good selling (no wonder) medicines desire you to do to effect a cure in chronic cases. It will not take one bottle of the right specific to cure any case of disease that is curable with anedicine, but generally a few doses is sufficient.
- 4. Some of the specifics that we put up are sold in the United States at \$1 per bottle, and none of the same size for less than 50 cents per bottle. Our specifics are double the size of those put up in the United States for the same money.
- 5. If you are suffering from any old chronic complaints that every doctor you could hear of, or find money enough to pay, has had a trial at without success, before giving up in despair try our medicine and you will not regret the day you do so, and when cured repay us by letting your friends know what cured you.

If your system has been poisoned by some powerful drug it may be necessary to give the homeopathic antidote for the poison before the specifics will act.

Do not use any other medicine or strongly seasoned food while using our specifics

Our specifics are prepared with the utmost care by ourselves, and we keep a good assortment of Homeopathic Medicines in stock, as well as the specifics we put up, and doctors and others may rely on getting a genuine and carefully prepared Homeopathic Medicine at all times and at the very lowest figure, as we do our business for cash only and can undersell any credit house.

All orders should be sent to the

WAIT HOMEOPATHIC MEDICINE MAN'Y JOHN T. WAIT, PROPRIETOR,

ARNPRIOR, ONT.

MEDICINES BY MAIL OR EXPRESS.

To insure customers being supplied with FRESH and GENUINE Homeopathic Medicines, the proprietor has made it a feature in his business to send them in any quantity, either in cases or in single bottles, by mail or express, on receipt of price. Select whatever numbers you require and enclose money order or register the letter for safety. Caution should be taken by our customers against purchasing our specifics in unsealed bottles which have been refilled, or from parties who offer other medicines recommended to be just as good. To be sure of a genuine article address the

WAIT HOMEOPATHIC MEDICINE MANUFY,

JOHN T. WAIT, PROPRIETOR,

Arnerior, Ont.

MATERIA MEDICA.

LEADING INDICATIONS FOR THE USE OF PRINCIPAL REMEDIES.

ACONITE. 3.—For fever; hot dry skin; quick pulse; really tosain; dry or croupy cough; shooting pains; local congestions; stitches in the side or breast; throbbing headache; vertigo.

APIS MEL. 3.—For painful hot swellings; erysipelas; nettle rash; sort throat, with much swelling; inflammation of the tongue; dropsy of various organs or cavities; strangury.

various organs or cavities; strangury.

ARNICA. 3.—For rheumatic soreness and lameness; pains, as if bruised; soreness all over; results of injuries; boils; whirling giddiness; disgust for food; bitter eructations.

ARSENICUM. 6.—For great prostration; burning pains; oppressed breathing, or asthma; watery diarrhoca; violent vomiting; scaly eruptions; burning ulcers; bad effects of too free use of ice or ice cream.

BAPTISIA. 3.—For fevers with depression and prostration; typhoid fevers; typhus fevers; catarrhal, bilious, rheumatic and congestive fevers with prostration; ulcerated sore mouth.

BARYTA CARB. 3.—For scrofulous affections; hard swelled glands; sore throat; chronic bad breath; weakness of digestion; weakness or debility.

BELLADONNA. 3.—For full throbbing headache; erysipelas; sore throat; sleeples-ness; pains in the face or teeth; colic pains.; heat and fulness of the head; vertigo.

BRYONIA. 3.—For rheumatism of the joints: worse on motion; billiousness with coated tongue; constipation; no appetite; pressing headache; cough with stitching or cutting pain; pleurisy; cough with blood-stained sputa.

CACTUS GRAND. 3—For palpitation and disease of the heart; and supportrophy; aneurism and inflammation of the heart; bleeding from the lungs.

CALCARIA CARB, 3.—For enlarged or suppurating glands; slow or difficult teething; whites and too profuse periods; slow learning to walk; convulsions at night; seabby eruptions and tetters.

CAMPHORA, 3.—For convulsions and cramps; fainting fits; cholera with extreme coldness and but slight discharges; cramps or spasms of the chest; influenza.

CANNABIS. 3.—For urgent calls to urinate; burning in the organs before and during; yellow and mucous discharge; cough with adhesive expectoration; pneumonia.

CANTHARIDES, 5.—For usinary and kidney complaints with huming pains; users, scarry, painful or bloody discharge of usine; sharp, tearsing, cutting or huming pains in the organs.

CAPSICUM. 3.— For fever with predominant coldness; sore throats 4 home-sickness; burning in the stomach; acid taste; flatulent colic.

CARBO, VEG. 3. — For excessive dejection: sudden prostration! liability to take cold: water brash: rising of food: immoderate flatulence: difficult evacuations; prolonged hoarseness.

CAUSTICUM. 3.—For rheumatic and gouty pains: contraction and stiffness of tendons: convulsive attacks: hoarseness and loss of voice: dry shaking cough.

CHAMOMILLA. 3.—For diseases of infants: fretful and teething: geneish mixed stools: colic of infants: wakefulness: starting in sleep: convulsions: dry cough: toothache.

CHINA. 3.—For debility from loss of blood or fluids: easy perspiration: bad effects of malaria: yellow color of shin: diarrheea from eating fruit: slimy, watery, yellow or undigested stools: bloating: dropsy.

CINA. 3.—For vermiculous affections, especially long, round worms: convulsions: intermitting fevers; wetting the bed; dry spasmodic cough; hiccough.

COCULUS. 3.—For spasms and convulsions: paralysis of one side: sickness from carriage riding and sea-sickness; cramp in the stomach: flatulent, cramp-like colic.

COFFEA. 3.—For excessive nervous excitability: sleeplessness from nervous excitement; tears, cries and complaints from pains: diarrhoea during teething.

COLCHICUM. 3.—For rheumatic and arthric pains; flatulent colic; fatigue from watching; vomiting of food or bile; dysenteric diarrhœa of white, transparent mucus.

COLOCYNTH. 3.—For painful cramps and cramp-like contractions one-side headache; colic and diarrhea; excessively violent colic, often with cuttings and shootings or distention.

CONIUM M. 3—For affections of old men; want of energy and nerwant debility; falling off of the hair; heartburn; dry convulsive cough; stys; weak sight.

CROCUS SAT. 3.—For hemorrhages from various organs; bleeding from the nose or uterus of thick dark blood; bounding in various parts of the body as of something alive.

CUPRUM MET. 3.—For spasmodic affections and convulsions; Asiatic cholera with cramps; whirling vertigo; spasmodic asthma; suffocative fits.

DROSERA, 3.—For convulsive coughs; violent cough with retching and vomiting; whooping-cough; catarrh and hoarseness.

DULCAMARA. 3.—For results of taking cold; tetter; nettle-rash; distributes of greenish or brownish mucus; catarrh of the vesica; moist cough; warts.

EUPHRASIA. 3.—For various forms of ophthalmia; ulcers and spots on the cornea; abundant flow of corrosive tears; copious secretion of mucus from the eyes.

GELSEMINUM, 3.—For affections of the cerebro-spinal system; spasms; tetanus; paralysis; hysteria; headache; remittent and irritative fevers; fevers of children; painful menses; puerperal fever.

GLONOINE. 6.—For accelerated, quick pulse; congestion of blood to the head; headache; violent throbbing headaches; sunstroke; apoplectic attacks; vertigo and dizzineza

GRAPHITES. 3.—For eruptions; erysipelas; tetter, especially of the face; seald head; falling out of the hair; weak digestion; constipation; slow, scarty, painful menses.

HEPAR SULPH. 3.—For inflammation and suppuration of the glands; scald head; moist tetters and eruptions; sore throat; hoarse, croupy cough; auxious wheezing respiration; chronic sore throat.

HYOSCYAMUS, 3.—For excessive nervous excitement and sleeplessness; cramps; spasmodic affections and 'convulsions; encephalites; involuntary evacuations; cramp-like cough at night.

IGNATIA. 3.—For evil effects of affliction, vexation, or unhappy love; cramps and convulsions; hysterical debility and fainting fits; twitching of the face; hiccough after eating; itching of the anus.

IODIUM. 3.—For swelling and induration of the glands; lachrymose disposition and dejection; lucers in the mouth; tongue thickly coated; morning cough; hard and large goitte; white swelling of the knee.

IPECACUANHA. 3.—For vomiting and summer diarrhoea; green, fermented or frothy stools; asthmatic breathing; convulsions from indigestible things; bleeding from different organs.

KALI BICHROM. 3.—For ulcerations with raised ragged edges; eruptions; cough; hoarseness and loss of voice; croup, with rough barking cough, and difficult wheezing respiration.

KALI CARBON. 3.—For drawing and shooting pains; headache from the motion of a carriage; mumps; dropsical affections; suppressed menses; dry cough at night; purulent expectoration with cough.

KREOSOTUM. 3.—For scrofulous affections; weakness of memory; eyes red-hot and drowned in corrosive tears; confused sight; morning nausea and vomiting; convulsive cough, with vomiting.

LACHESIS. 6.—For worse after sleeping; intermittent sufferings; headache with congestion; dry or fluent choryza; sore throat; continual hoarseness; cough after sleeping; palpitation of the heart; asthma.

LYCOPODIUM. 3.—For eruptions on the head; baldness; ulcerated nostrils; hardness of hearing: acid taste; loss of appetite; waterbrash; immense production of flatulence; constipation; dry cough, or with copious expectoration.

MERCURIUS. 3.—For ulcerated sore throat; cold with cough and sore throat; sore mouth with much saliva; mumps; swelled face; slimy, bloody diarrhoea with straining dysentery.

MERCURIUS CORR. 4.— For dysentery; frequent stools of greenish or bloody mucus attended with much straining and colic; inflammation of the iris.

MEZEREUM. 3.—For neuralgic pains; bruised and weary joints: violent neuralgic pains in the face and teeth: leucorrhea like albumen; stitching aching pain.

NITRIC ACID. 3.—For inflammation and suppuration of the glands: soreness and inflammation of the bones: pimples and even pustules of the face: chronic diarrheea: fetid urine: ulcers like chances: hoarseness and cough.

NUX VOMICA, 3.—For constipation with headache; colds and obserting is pain in the stomach and flatulence; indigestion; piles; vertigo; bad effects of liquor or excesses; bilious or excitable subjects.

OPIUM. 3.—For paralysis: deep profound sleep with snoring: lethargy: convulsions: relaxation of the muscles of the face: paralysis of the tongue: heaviness of the head: constipation: torpor of the bladder: trembling arms and hands.

PHOSPHORIC ACID. 6.—For nervous and physical weakness from disease or loss of fluids: visious tenacious phlegm in the mouth and on the tongue; purging evacuations; frequent and profuse (pale) urination; debilitating pollutions.

PHOSPHORUS. 3.—For physical and nervous weakness: mucous or serous diarrhoea: tickling irritating cough; hoarseness and loss of voice: dry, shaking cough, also with purulent expectoration: pains in the side and chest: oppression of the chest, palpitation.

PHYTOLACCA DEC. 3.—For swelling and induration of the glands; inflammation of the throat; unisy; tonsilitis; diptheritic sore throat; inflammation and suppuration of the female breast; old ulcerations.

PLATINA. 4.—For affections of females; cramp-like drawing pains; involuntary weeping; rumbling in the ears; pains in the face; unnatural desire; constipation; menses too soon and too profuse; palpitation of the heart; ulceration of fingers or toes.

PLUMBUM. 4.—For paralysis; attacks of epilepsy; great anguish; paralysis of the eyelids; continued and violent vomiting; violent colic and constrictive pains; obstinate constitution; spasmodic asthma: paralysis of the extremities.

PODOPHYLLUM, 3.—For affections of the liver; obstructions; congestion and inflammation; violent colic; retention of bile; gall stones; diarrhea; prolapsus ani; prolapsus uteri.

PULSATILLA. 3.—For indigestion from fat or rich food; scanty or suppressed periods; catarrh with thick yellow discharge; loss of smell or taste; ear-ache; shifting or changeable pains; mild, quiet disposition; stys; chilblains.

RHEUM. 2.—For diarrheas of children; sourness; colic, cries and sleeplessness of infants; cuttings and distention of the abdomen; loose sour smelling liquid evacuations; copious urination.

RHUS TOX. 3.—For erysipelas with blisters; stiffness and rheumatic lameness; pains, worse when quiet or beginning to move; night cough; moist eruptions.

RUTA. 3.—For pains in the limbs, joints, and bones, as if beaten; pains in the eyes; spasm of the eyelids; confused weak sight, as if looking through a mist; dancing spots before the eyes.

SABINA. 3.—For disposition to miscarriage; too copious menses; metrorrhagia, with discharge of clotted or bright red blood; leucorrhea, itching, fetid, starch-like; red shiny swelling of the great toe; gout.

SAMBUCUS. 3.—For fever with excessive perspiration at night; obstructed nose with thick tenacious mucus; attacks of suffocative cough with cries in children; wheezing and guick respiration; suffocative attacks.

SARSAPARILLA. 3.—For ulcers especially from abuse of mercury; herpes; shrivelled skin; deep painful rhagades (chaps of the fingers); frequent and profuse emission of pale urine; renal calculi.

SECALE CORN. 3.—For cramps and convulsive movements; disgust and nausea, vomiting of bilious and crude matter; painful colic; sudden diarrhoza with vomiting; miscarriage; hemorrhage of the uterus.

ŚEPIA. 6.—For affections of temales; herpes; one side headache; sick headache; toothache of pregnant or nervous women; sore, obstructed, or scabby nostrils; ringworm; debilitating diarrhea: wetting the bed; leucorrhea: cough; copious expectoration and oppression of the chest.

SILICIA. 6.—For inflammation, ulceration, softening, and other diseases of the bones; obstruction, inflammation, and ulceration of the glands; felons; mild and malignant suppurations; constipation; leucorrhea; offensive smell of the feet.

SPIGELIA. 3.—For intermittent, nervous, and rehumatic headache, toothache, and faceache; inflammation, or violent pains in the eyes; earache; violent palpitation of the heart; lancinations in the region of the heart; suffocative attacks; heart disease.

SPONGIA. 3.—For hoarseness; pain in the larynx; roughness and dryness of the throat; hollow, dry, barking or whistling cough; wheezing respiration; croup; inflammation of the larynx.

STANNUM. 6.—For excessive emaciation; debilitating perspiration at night; hoarseness; great accumulation of mucus in the throat; dry, violent, or loose cough, with copious expectoration; pain and oppression of the chest.

STAPHYSAGRIA. 3.—For painful inflammation of the bones; neuralgic pains in the face or teeth; inflammation of the syelids; moist, fetid, scald head; swelling of the glands; cough with purulent yellow expectoration; pains in the loins.

SULPHUR. 3.—For pimples, itching, and eruptions; constitution; piles; urgent morning diarrhoxa; bilious drowsiness; old eruptions; urmary incontinence.

TARTARUS EMET. 3.—For continued nausea; vomiting with violent effort; cough with vomiting of food; paroxysms of violent suffocative cough; hollow cough, with rattling of mucus; paralysis of the lungs; palpitation of the heart.

THUJA OCCIDENT, 3.—For warts, aphthæ in the mouth; swellings under the the tongue (Ranula); faceache; earache; painful swelling of the glands; fig warts on various parts; chilblains,

VERATRUM. 3.—For copious vomiting and purging; coldness of the surface; Astiatic cholera; spasmodic or whooping cough; palpitation of the heart; cramps in the limbs.

For further information consult

The Stepping Stone to Homeopathy, (Ruddock). Price 75cts.

BY MAIL OR EXPRESS.

Any of the above (simples) remedies will be sent by mail on receipt of price, twenty-five cents per vial of granules containing three drachms, or by express for \$2.00 per dozen. One drachm vials of the above simples sent by express for \$1.00 per dozen. All orders sent by mail will be charged at the rate of twenty-five cents per bottle. Address—

WAIT HOMEOPATHIC MEDICINE MANUF'Y,

John T. Wait, Proprietor,

ARNPRIOR, ONT.



HAMALINE OIL

This Oil is the Triumph of Scientific Medicines.

Nothing has ever been produced at all to equal or compare with it as a curative and healing application. The virtues of HAMAMELIS have long been known and celebrated as a healer and pain curer. But when combined with other healing medicines and applied in the form of an Oil, its curative effects are indeed marvellous.

By this mode of preparation the healing medicine is applied directly to the diseased or affected part. In many cases, such as Indianed or Ulcerared Surfaces, Inflamed Tunners, Piles, Boils, Hot Swellings, Cancers, Corroding or Eating Ulcers, no other method of application is so convenient or effective. This Ointmeht has been approved of for many years in the practice of eminety physicians—and thence has been more and more extended until in recent times we have issued it in its present form.

In the hands of thousands it will prove perfectly invaluable—it never fails. And whether used in an emergency for a Burn, Scald or Injury, or tora Hot Swelling. Boil, Carbuncle, a Cancerous. Malignant or Corroding Ulcer, a Chafing, Harness Gall, Sure Back, Quarter Crack, or other affection from the stable, the result is always satisfactory. The Oil never fails to give relief and always sets up a curative action, and, when possible, a cure is prompt, the pain always and the over healed, and when from the nature of the case a sudden cure is not to be looked for, yet an amelioration and relief is note to follow the application. It never aggravates; never is injurious. It is readily applied, and leaves no stain or injury to the most sensitive part.

PRICE, 25 CENTS A BOTTLE.

THE WAIT HOMEOPATHIC MEDICINE MANUFACTORY,

JOHN T. WAIT, Proprietor,

ARNPRIOR, . ONT.

